



- PRINT, COPY, SCAN, FAX
- PAGES PER MINUTE: 26 B/W
- PAPER CAPACITY: STD 1100 MAX 2100 SHEETS
- STANDARD NETWORK PRINTING AND COLOUR NETWORK SCANNING
- STANDARD REVERSING SINGLE PASS FEEDER AND STANDARD DUPLEX MODULE
- SPACE-SAVING INNER FINISHER OPTION
- RETRACTABLE KEYBOARD OPTION FOR EASY TEXT ENTRY
- 7.0 INCH TOUCHSCREEN COLOUR LCD CONTROL PANEL WITH THUMBNAIL PREVIEWS

The MX-M264N A3 black & white MFP is designed to bring power, performance and productivity to any busy workgroup. In addition to all the high quality network printing and copying functions central to any office workflow, every major feature is supplied as standard. An integrated 100-sheets document feeder (RSPF) lets you scan full colour documents as quickly as 50 originals per minute, a built-in stackless duplex module allows you to easily print on both sides of the paper, plus a wide range of options can be added to ensure you can have the correct features to meet your needs, whether it is faxing, enhanced security features, additional paper supply or finishing. The innovative inner finisher option provides automatic sorting, stapling and offset stacking capabilities without the need for an external finishing unit. The MX-M264N is easy to use with its 7.0 inch LCD panel and optional keyboard and the powerful network utility software makes it easy to manage too. The MX-M264N has been designed with the environment in mind, offering Auto Power Shut Off mode and complying with the latest Energy Star regulations.







#### **GENERAL**

▶ Engine speed B/W ppm (A4): 26 ▶ Engine speed B/W ppm (A3): 15 Paper size: Min.-Max.: A3-A5 ▶ Paper weight (g/m2): **56-200** 

Paper capacity:Std (sheets): 1100 Paper capacity: Max. (sheets): 2100

Warm Up Time (sec.): 20

▶ Memory general min/max (MB): 2048 ▶ Memory printer min/max (MB): 2048

▶ Harddisk: OPT

▶ Harddisk capacity (GB): 320

Duplex: STD

Power requirements - rated local AC voltage (Hz): 220-240V, 50/60Hz

Power consumption (kW): 1,84
Dimensions (mm): 625 x 645 x 799

▶ Weight (Kg): **52,1** 

# DOCUMENT FEEDER

▶ Original capacity (sheets): 100

# DOCUMENT FILING

▶ Document filing (Standard / Option): **OPT** 

Document filing capacity- main and custom folders (pages): 20.000

Document filing capacity- quick file folder (pages): 10.000

Stored jobs: Copy, print, scan, fax

Storage folders: Quick folder, main folder, custom folder

▶ Confidential storage: ✓

# FAX

Fax (Standard / Option): OPT

▶ Compression method: MH/MR/MMR/JBIG

▶ Communication protocol: Super G3 Transmission time (sec): 3 ▶ Modem Speed (bps): 33.600 - 2.400

▶ Transmission resolution: STD: 203,2 x 97,8Ultra fine: 406,4 x 391

Document Size (Min): A5 Document Size (Max): A3 Memory (MB): 512 - 1024 Grey Scale levels: 256

Dial Registration; rapid/speed dial: 1000

▶ Broadcast Transmission (max. destinations): 500

#### COPIER

▶ Original paper size (Max.): A3 First copy out time B/W (sec.): 4,9

▶ E-sort Std:

▶ Continuous copy (Max. copies): 999 Resolution Scan B/W (dpi): 600 x 600 ▶ Resolution Scan Colour (dpi): 600 x 600

Resolution Print (dpi): 600 x 600 Gradation (equivalent levels) - B/W: 2 Gradation (equivalent levels) - Colour: 256

Zoom range (%): 25-400 ▶ Preset copy ratios: 10

#### **SCANNER**

Network Scanner (Standard / Option): STD

Scan method Push scan and Pull scan:

Resolution push scan (dpi): 100,200, 300,400, 600

Resolution pull scan (dpi): 75,100, 150,200, 300,400, 60050-9600

File formats: XPS, PDF, Encrypted PDF, PDF/A, JPG, TIFF

▶ Scanner utilities: Sharpdesk

▶ Scan destinations Desktop:

Scan destination FTP, Email: <

Scan destination Network folder:

▶ Scan destination USB memory: ✓

### **PRINTER**

▶ Resolution (dpi): 600 x 600

▶ Enhanced resolution (dpi): 600 x 1200

Network Printer (Standard / Option): STD

Interface Std/Opt: USB 2.0,10-BaseT, 100Base-TX, 1000Base-T

Supported OS Standard:

Windows XP, Windows Server 2003/2008, Windows Vista, Windows 7

Supported OS Options: Max OS X 10.4.11/10.5-10.5./10.6-10.6.8/10.7-10.7.2

Network protocols: TCP/IP (IPv4, IPv6), IPX/SPX (NetWare), NetBEUI, EtherTalk (AppleTalk)

▶ Printing protocols: LPR, Raw TCP (port 9100) POP3, HTTP, Novell, FTP,

▶ PDL Std/Opt: STD PCL6/OPT PostScript3

Available fonts: 80 (PCL), 136 (PS3)

### FINISHING

▶ Output Capacity Max.: 500

Staple Capacity (sheets) Max.: 50

▶ Off-set shifting: STD



