

NEC Display Solutions, Ltd.
Mr. Naohiko Shimazu, Senior Manager
Quality Assurance Department
4-28, Mita 1-chome, Minato-ku
Tokyo
108-0073 Japan

Date : 17.06.2016
Our ref. : WangAn ZJ
Your ref.: 1140027368

Ref : CB Certificate Japan

Type of Equipment : LCD Monitor
Model Designation : See Certificate
Certificate No. : JPTUV-070031-A1
Report No. : 11045046 002

Dear Mr. Naohiko Shimazu,

Thank you very much for your interest in our services.

Please find enclosed your certification documents.

We appreciate your support and would like to offer our assistance in the approval of your future products through our extensive range of technical services.

Please feel free to contact us whatever your requirements may be.

With kind regards,

Certification Body

Tristan Deng 

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询



Ref. Certif. No.

JPTUV-070031-A1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

LCD Monitor

Name and address of the applicant
Nom et adresse du demandeur

Top Victory Electronics (Taiwan) Co., Ltd.
10F., No. 230, Liancheng Rd.
Zhonghe Dist., New Taipei City, 23553 Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

NEC Display Solutions, Ltd.
4-28, Mita 1-chome, Minato-ku
Tokyo, 108-0073 Japan

Name and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

AC 100-240V; 50/60Hz; 1) 3.8-1.6A; 2) 3.0-1.2A; 3) 2.6-1.1A
Class I

Trademark (if any)
Marque de fabrique (si elle existe)

NEC

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.
Ref. de type

X554UN, others refer to the test report.

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

For model differences, refer to the test report.
Re-issue of JPTUV-070031 dated 03.03.2016,
due to non-technical change.

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60950-1:2005 + A1 + A2
National differences see test report

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

11045046 002

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜVRheinland®

TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Suzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Tristan Deng

Date: 17.06.2016

Signature:

1. TPV Display Technology (Wuhan)
Co., Ltd.
Unique No. 11, Zhuankou Development
District of Economic Technological
Development Zone, Wuhan City 430056, P.R. China
2. TPV Electronics (Fujian) Co., Ltd.
Shangzheng, Yuan Hong Road
Fuqing City, Fujian Province
P.R. China
3. Envision Industry of Electronic
Products Ltd.
Rodovia Anhanguera S/N-KM 49
Tijuco Preto-Jundiá-SP-
13.205-700, Brazil
4. L&T Display Technology (Fujian) Ltd.
Optoelectronic Park, Rongqiao
Economic and Technological
Development Zone
Fuqing, Fujian 350301, P.R. China
5. Trend Smart CE Mexico S de RL de CV
Avenida Sor Juana Ines de la Cruz
de 19602 Nueva Tijuana,
22435 Tijuana Baja California
MEXICO
6. TPV Display Technology (Beihai)
Co., Ltd.
China Electronic Beihai Industry
Park, Northeast of the Crossing
Between Taiwan Road and Jilin Road, Beihai City, Guangxi, P.R. China
7. Envision Industry of Electronic
Products Ltd.
Av Torquato Tapajós 7503,
Galpão : II Bloco: B-Condomínio
de Galpões-Tarumã-Manaus, AM, Brazil
8. TPV Technology (Qingdao)
Co., Ltd.
No.99 Huoju Road, High-tech
Industrial Development Zone
Qingdao City, Shandong Province, P.R. China
9. TPV Display Technology (China)
Co., Ltd.
No. 106 Jinghai 3 Rd., BDA
Beijing City 100176
P.R. China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 11045046 002



Date: 17.06.2016

Signature:

Tristan Deng

10. Hefei Huntkey Display Technology Co., Ltd.
South Jinxiu Road, East Qingtan Road
Economic And Technological
Development Zone, Hefei, Anhui 230601, P.R. China
11. TPV Electronics (Fujian) Co., Ltd.
Optoelectronic Park,
Rongqiao Economic and
Technological Development Zone,
Fuqing City, Fujian Province 350301, P.R. China
12. Envision Indústria de Produtos Eletrônicos Ltda.
Av. Torquato Tapajós, 2236,
Flores - CEP 69058-830 - Manaus/AM
Brazil

Additional information (if necessary)
Information complémentaire (si nécessaire)


Report Ref. No.: 11045046 002



Date: 17.06.2016

Signature:

Tristan Deng



Test Report issued under the responsibility of:



TEST REPORT

IEC 60950-1

Information technology equipment – Safety – Part 1: General requirements

Report Number: 11045046 002

Date of issue: Jun. 14. 2016

Total number of pages: 6

Applicant's name: **Top Victory Electronics (Taiwan) Co., Ltd.**

Address: 10F., No. 230, Liancheng Rd., Zhonghe Dist., New Taipei City,
23553 Taiwan

Test specification:

Standard: IEC 60950-1:2005 (Second Edition) + Am 1:2009 + Am 2:2013

Test procedure: CB Scheme

Non-standard test method: N/A

Test Report Form No: IEC60950_1F

Test Report Form(s) Originator: SGS Fimko Ltd

Master TRF: Dated 2014-02

Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.



Test item description: LCD Monitor

Trade Mark: NEC

Manufacturer: NEC Display Solutions, Ltd.
4-28, Mita 1-chome, Minato-ku, Tokyo, Japan

Model/Type reference: 1) X554UN, X554UN(C), MultiSync X554UN, X554UNS,
X554UNS(C), X554UNV, **X554UNV-2**;
2) X464UN, X464UN(C), MultiSync X464UN, X464UNS,
X464UNS(C), **X464UNV-2**;
3) X464UNV, X464UNV(C)

Ratings: I/P: 100-240Vac, 50/60Hz, 1) 3.8-1.6A ; 2) 3.0-1.2A; 3) 2.6-1.1A

Testing procedure and testing location:		
☒	CB Testing Laboratory:	TÜV Rheinland (Shenzhen) Co., Ltd.
Testing location/ address		East of F/1, F/2~F/4, Building 1, Cybio Technology Building No. 6 Langshan No.2 Road, North Hi-tech Industry Park 518057 Shenzhen Nanshan District, CHINA
☐	Associated CB Testing Laboratory:	
Testing location/ address		
Tested by (name + signature)		Anderson Wang 
Approved by (name + signature)		Aegean Li 
☐	Testing procedure: TMP/CTF Stage 1:	
Testing location/ address		
Tested by (name + signature)		
Approved by (name + signature)		
☐	Testing procedure: WMT/CTF Stage 2:	
Testing location/ address		
Tested by (name + signature)		
Witnessed by (name + signature)		
Approved by (name + signature)		
☐	Testing procedure: SMT/CTF Stage 3 or 4:	
Testing location/ address		
Tested by (name + signature)		
Witnessed by (name + signature)		
Approved by (name + signature)		
Supervised by (name + signature)		

List of Attachments (including a total number of pages in each attachment):

- N/A

Summary of testing:**Tests performed (name of test and test clause):**

- N/A

Testing location:

N/A

Summary of compliance with National Differences

See original report 11045046 001 for the details.

Copy of marking plate

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBs that own these marks.

NEC MultiSync X464UNS-2 LCD MONITOR (MODEL : X464UNS-2) VOLTS 定格電圧: 100-240V~, AMPERES 定格電流: 3.0-1.2A (3.0-1.2A) FREQUENCY 定格周波数: 50/60Hz CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE THE ENCLOSURE, NO USER-SERVICEABLE PARTS INSIDE. ATTENTION: AFIN DE PREVENIR DE TOUT CHOC ELECTRIQUE, NE PAS OUVRIRE LE BOITIER, AUCUNE PIECE INTERIEURE NE PEUT ETRE CHANGEE PAR L'UTILISATEUR. ACHTUNG: ZUM TRENNUNG VOM NETZ IST DER NETZSTECKER AUS DER STECKDOSE ZU ZIEHEN. GERÄT NICHT ÖFFNEN, ES SIND KEINE DURCH DEN BENUTZER AUSWECHSELBAREN TEILE IM GERÄT VORHANDEN. PRECAUCIÓN: PARA PREVENIR DESCARGA ELÉCTRICA, NO QUITE EL RECUBRIMIENTO, NINGUNAS PIEZAS DEL USUARIO SERVICABLES ADENTRO. VAROITUS: LAITE ON LITETTÄVÄ SUOJAMAADOETUSKOSKETTIMILLA VARUSTETTUUN PISTOKASAAJAN. VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTGÅG. ADVARSEL: APPARATET MÅ TILKOPLES JORDET STØBKONTAKT. ADVARSEL: APPARATETS STØKPROP SKAL TILSLUTTES EN STØBKONTAKT MED JORD, SOM GIVER FORBØJELSE TIL STØKPROPPENS JORD. CAN ICES-3(A) / NMB-3(A) この装置は、クラスA無線干渉装置です。この装置を家庭環境で使用する と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を 講ずるよう要求されることがあります。 VCCI-A THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION. UL LISTED E138889 US I.T.E. 1481 SAFETY MARKS CE EAC HDMI PS E NECディスプレイソリューションズ株式会社 NEC Display Solutions, Ltd. 4-28, Mita 1-chome, Minato-ku, Tokyo, Japan	NEC MultiSync X464UNS-2 LCD MONITOR (MODEL / 型号: X464UNS-2) VOLTS 定格電圧: 100-240V~, AMPERES 定格電流: 3.0-1.2A (3.0-1.2A) FREQUENCY 定格周波数: 50/60Hz CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE THE ENCLOSURE, NO USER-SERVICEABLE PARTS INSIDE. ATTENTION: AFIN DE PREVENIR DE TOUT CHOC ELECTRIQUE, NE PAS OUVRIRE LE BOITIER, AUCUNE PIECE INTERIEURE NE PEUT ETRE CHANGEE PAR L'UTILISATEUR. ACHTUNG: ZUM TRENNUNG VOM NETZ IST DER NETZSTECKER AUS DER STECKDOSE ZU ZIEHEN. GERÄT NICHT ÖFFNEN, ES SIND KEINE DURCH DEN BENUTZER AUSWECHSELBAREN TEILE IM GERÄT VORHANDEN. PRECAUCIÓN: PARA PREVENIR DESCARGA ELÉCTRICA, NO QUITE EL RECUBRIMIENTO, NINGUNAS PIEZAS DEL USUARIO SERVICABLES ADENTRO. VAROITUS: LAITE ON LITETTÄVÄ SUOJAMAADOETUSKOSKETTIMILLA VARUSTETTUUN PISTOKASAAJAN. VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTGÅG. ADVARSEL: APPARATET MÅ TILKOPLES JORDET STØBKONTAKT. ADVARSEL: APPARATETS STØKPROP SKAL TILSLUTTES EN STØBKONTAKT MED JORD, SOM GIVER FORBØJELSE TIL STØKPROPPENS JORD. 注意: 電源プラグを抜くとき、必ず電源スイッチをOFFにしてください。 CAN ICES-3(A) / NMB-3(A) この装置は、クラスA無線干渉装置です。この装置を家庭環境で使用する と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を 講ずるよう要求されることがあります。 VCCI-A THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION. UL LISTED E138889 US I.T.E. 1481 SAFETY MARKS CE EAC HDMI PS E NECディスプレイソリューションズ株式会社 NEC Display Solutions, Ltd. 4-28, Mita 1-chome, Minato-ku, Tokyo, Japan
--	--

[illegible]

NEC MultiSync X55A-U2 **LCD MONITOR**
液晶显示器 (MODEL/型号:X55A-U2)

VOLTS 交流电压 输入电压:100~240V~,
AMPERES 额定电流 电源:3.8-1.6A (1.8-1.6A)
FREQUENCY 额定频率 工作频率:50/60Hz

CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE THE ENCLOSURE.
DO UNDESIRABLE PARTS INSIDE.

ATTENTION: AFIN DE PREVENIR CE TOUT CHOC ELECTRIQUE, NE PAS OUVRIE
CE BOITIER. AUCUNE PIECE INTERIEUR NE PEUT ETRE CHANGEES PAR L'UTILISATEUR.

ACHTUNG: ZUM TRENNUNG VOM NETZ IST DER NETZSTECCKER AUS DER
STECKDOSE ZU ZIEHEN. GERÄT NICHT ÖFFNEN. ES SIND KEINE DURCH DEN
BENUTZER AUSSWECHSELBAREN TEILE IM GERÄT VORHANDEN.

PRECAUCION: PARA PREVENIR DESCARGA ELECTRICA, NO QUITE EL
RECINTO. NINGUNAS PIEZAS DEL USUARIO SERVEABLE ADENTRO.

VAROITUS: LAITI ON LUETTÄVÄ SUOJAMAALTOUSKOKETTIMILLA
VAIUSTEUSET PISTOSAIAAN.

VARNING: APPARATENS SKÅL ANSLUTAS TILL JORDAD IFTTAG.
ADVARSER: APPARATEN MÅ TILKOPLSES JORDET STROMKONTAKT.

AVVARSEL: APPARATETS STRØMFORSKAL TJELLESUTTES EN STRØMKONTAKT
MED JORD. SOM GIVER FORBUDSELSKE STRØMFØRINGS KJED.

注意：蓋を開けず、中電圧電圧。社内用専用点検。

CAN ICES-3(A) / NMB-3(A)

この製品は、クラスA情報処理機器です。この製品を家庭環境で使用するこ
う電気磁界を発生することがあります。この場合には使用が適切に制限さ
れるよう定められていることがあります。 VCCI-A

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES/REGULATIONS AND IS SUBJECT
TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL
INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.

UL EY3000S
LISTED U.S. LIST
1E81

CCC

EAC

TÜV Rheinland

SAFETY MARK

FIM

G

HDMI

PS E

NECディスプレイソリューションズ株式会社
NEC Display Solutions Co., Ltd.
日本国東京都東三田一丁目4番1号
4-28,Mita 1-chome, Minato-ku, Tokyo, Japan

MADE IN CHINA 中国製
TPV Electronics(Fujian)Co.,Ltd.
生产厂：福建省福州市晋安区软件产业基地
生产地址：福建省福州市晋安区软件产业基地

NEC MultiSync X554UNS-2

LCD MONITOR
彩色顯示器 液晶显示器
모니터 (55인치 LCD 모니터)
FREQUENCY RESPONSE RANGE : 士 10Hz ~ 1.6A (1.8~1.6) [MODEL] (型号/规格型号) X554UNS-2)

CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE THE ENCLOSURE.
DO NOT SERVICABLE PARTS INSIDE.

ATTENTION: AFIN DE PREVENIR DE TOUT CHOC ELECTRIQUE, NE PAS OUVRIE LE COFFRET. AUCUNE PIECE INTERIEURE NE PEUT ETRE CHANGEE PAR L'UTILISATEUR.

ACHTUNG: ZU VERHÜTUNG VON NIETZ EIER DER NETZSTECKER AUS DER STECKDOSE ZU ZIEHEN. GIBT NICHT OFFEN. ES SIND KEINE DODER DIE BENUTZER ANSCHLIESSEN KÖNNEN TIL IN GEHEIT VERANDERN.

PRECAUCION: PARA PREVENIR DESCARGA ELECTRICA, NO QUITE EL CUBIERTO. NINGUNAS PIEZAS DEL USUARIO SE PUEDE SERVICABLE ADENTRO.

VAROITUS: LAITE ON LITETTÄÄN SUOJAMAARADOKSIKOSKEITTIMILLA VARUSTETTUUN PIIRISTÖALAILLA.

VARNING: APPARATEN SKALL ANSLUTAS TILL STROKTAK UTÅTG.

ADVARSEL: APPARATEN MÅ IKKE ÅPNES JØRDET JØRSTIKKET.

ADVARSEL: APPARATETS STREPKOP SKALL TILGÅTTES EN STRØKTAKET MED JORD, SOM GIVER FORBINDELSE TIL STRØMFORBUDS JORD.

⚠ 注意：请勿打开后盖，小心高压电击。机内无用户可维修。
⚠ 注意：请勿打开后盖，小心高压电击。机内无用户可维修。
⚠ 警告：禁止用户拆卸机箱部分。

CAN USE 3(A) / NMB-3(A)

(この製品は、カナダ人用規格に適合する。この製品を家庭用途で使用すると電圧変動が原因でシステムが故障する。この製品には使用者が最初から別売の製品による変更は行わないでください。)

VCCI-A

警告使用者へ：此品が電気部品に接続され、同時に電源機中使用可能。この場合事故が発生し、在此の場合、使用者が要求採取すべき措置の必要。THIS DEVICE COMPLIES WITH ARTICLES OF THE FCC RULES OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) IT MUST ACCEPT ANY INTERFERENCE RECEIVED INCLUDING INTERFERING THAT CAN BE CAUSED UNDESIRABLE OPERATION. 사용자 주의사항 감청의 위험 및 제품의 손상에 발생될 수 있으므로 제품의 커버를 열지 마십시오. 중요 서비스 센터 전화 번호: 080-422-1155 (호스팅주식회사) * 본 라벨과 일치하지는 않는 규격 (내용)에 적용한 제품으로만 사용되어야 합니다.

E120080
UL LISTED
1821 10000000000000
MSW-4444444444444444

HDMI

MADE IN CHINA 中国制造 中国製造
TPV Electronics(Fujian) Co., Ltd.
宝盈盛 福建源豐電子有限公司
生产厂 福建省福州市台江区
生产地址 福建省福州市台江区江滨中大道1号

NEC Display Solutions, Ltd.
日本国東京都港区三丁目一丁4番2号
4-28,Mizu 1-chome, Minato-ku,
Tokyo, Japan

Notes: The above labels are draft of an artwork for marking plate pending approval by National Certification Bodies and it shall not be affixed to products prior to such an approval. See original report 11045046 001 for the details.

Test item particulars	
Equipment mobility	☐ movable ☐ hand-held ☐ transportable ☒ stationary ☒ for building-in (when installed within a wooden box which provided by the manufacture) ☐ direct plug-in
Connection to the mains	☒ pluggable equipment ☒ type A ☐ type B ☐ permanent connection ☒ detachable power supply cord ☐ non-detachable power supply cord ☐ not directly connected to the mains
Operating condition	☒ continuous ☐ rated operating / resting time:
Access location	☒ operator accessible ☐ restricted access location
Over voltage category (OVC)	☐ OVC I ☒ OVC II ☐ OVC III ☐ OVC IV ☐ other:
Mains supply tolerance (%) or absolute mains supply values	±10
Tested for IT power systems	☒ Yes ☐ No
IT testing, phase-phase voltage (V)	230 for Norway
Class of equipment	☒ Class I ☐ Class II ☐ Class III ☐ Not classified
Considered current rating of protective device as part of the building installation (A)	16 (20 for North America)
Pollution degree (PD)	☐ PD 1 ☒ PD 2 ☐ PD 3
IP protection class	IP20
Altitude during operation (m)	Up to 5000
Altitude of test laboratory (m)	Less than 2000
Mass of equipment (kg)	1) approx. 29.01kg (Unit with handle); 4 handles: 0.4kg; one single base : 0.6kg (Base A), 1.09 kg (Base B); 1.97kg (external speaker)(for all 55 inch models) 2) approx. 22.44kg (Unit with handle); 4 handles: 0.4kg; one single base : 0.62 kg (Base C); 1.97kg (external speaker)(for all 46 inch models)
Possible test case verdicts:	
- test case does not apply to the test object.....: N/A	
- test object does meet the requirement: P (Pass)	
- test object does not meet the requirement.....: F (Fail)	
Testing	
Date of receipt of test item	Jun.14.2016
Date(s) of performance of tests	N/A

General remarks:			
"(See Enclosure #)" refers to additional information appended to the report. "(See appended table)" refers to a table appended to the report.			
Throughout this report a ☐ comma / ☒ point is used as the decimal separator.			
Manufacturer's Declaration per sub-clause 4.2.5 of IEC 60335-1:			
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided :		☒ Yes ☐ Not applicable	
When differences exist; they shall be identified in the General product information section.			
Name and address of factory (ies)..... : See original report 11045046 001 for the details.			
General product information:			
Description of change(s):			
1. Add new model X554UNV-2 , which is identical to original model X554UN except for type designation.			
2. Add new model X464UNV-2 , which is identical to original model X464UN except for type designation.			
For the above described change(s) the following was considered to be necessary:			
Change	Testing	Comments	
1.	- N/A	See new labels on Page 3-4 for the details.	
2.	- N/A	See new labels on Page 3-4 for the details.	
History of amendments and modifications: Ref. No. 11045046 001, dated Feb. 14. 2016 (Original test report) Ref. No. 11045046 002, dated Jun. 14. 2016 (amendment)			
Abbreviations used in the report:			
- normal conditions	N.C.	- single fault conditions	S.F.C
- functional insulation	OP	- basic insulation	BI
- double insulation	DI	- supplementary insulation	SI
- between parts of opposite polarity	BOP	- reinforced insulation	RI
Indicate used abbreviations (if any)			