

VIDEOWALL MOUNT PDVW MFS 46 55 L/P

ORDER CODE: LANDSCAPE 100012730 PORTRAIT 100012915

Videowall mount with manual front service for 2x2 installations of NEC MultiSync® 46" XUN/V, 55" XUN/S and 46" & 55" XS and P Series in a videowall.

This videowall mount is designed for easy and servicing in hard-to-reach installations – even on the centermost screen of a videowall matrix. Available for landscape and portrait orientation.

Delivering Genuine Benefits

Pull-out extension allows cable access for installation and servicing of videowall and recessed applications

Post-installation fine tuning of height and leveling for a seamless installation

Post-installation lateral shift to easily slide screens apart or together for easy maintenance and perfect alignment

Hear an audible click when the screen safely engages with the mount

Fine-tuning plumb adjustment ensures screens are perfectly vertical for a seamless install, can be used to compensate for walls that are not perfectly flat

Built-in cable stand provides easy access under the screen

Tilt function from 0° to 11°

Screws for installing the display included


PDVW MFS 46 55 L



LANDSCAPE EXTENDED



PDVW MFS 46 55 P




PORTRAIT EXTENDED



TECHNICAL DRAWINGS

LANDSCAPE PDVW MFS 46 55 L





VIDEOWALL MOUNT PDVW MFS 46 55 L/P

ORDER CODE: LANDSCAPE 100012730 PORTRAIT 100012915

TECHNICAL SPECIFICATIONS

ORDER CODES	
Portrait	100012915
Landscape	100012730
MIN. DEPTH	
Portrait	94.3 mm
Landscape	94.0 mm
LATERAL SHIFT	
Portrait	101.6 mm
Landscape	444.5 mm
MAX. EXTENSION	271.8 mm
MOUNTING PATTERN COMPATIBILITY	
Portrait	200 x 200 mm - 800 x 400 mm
Landscape	200 x 200 mm - 760 x 505 mm
PLUMB ADJUSTMENT	2.5°
CONFIGURATION	2x2 (recommended); 3x3 (maximum)
ORIENTATION	Landscape & Portrait
MAX. WEIGHT CAPACITY	68 kg *
DIMENSIONS (H X W X D)	
Portrait	825.5 x 522.5 x 94.3 mm
Landscape	533.0 x 878.0 x 94.0 mm
WEIGHT OF MOUNT	
Portrait	12.5 kg
Landscape	12.5 kg
SUPPORTED DISPLAYS	MultiSync® 46" XUN/V, 55" XUN/S and 46" & 55" XS and P Series
VIDEOWALL OPTIONS	Remote Control Kit (KT-RC, KT-RC2); Calibration Kit (KT-LFD-CC, KT-LFD-CC2)
CERTIFICATIONS	UL Listed
WARRANTY	3 years
For additional pictures and Solutions overview, Visit www.nec-display-solutions.com for details.	* Please consider the overall weight of the complete construction. It is the installers responsibility to make certain the structure to which the mount is being attached is capable of supporting all equipment. For this NEC does not take any responsibility. Please consult your local vendor if advise is needed.

This document is © Copyright 2014 NEC Display Solutions Europe GmbH. All rights are reserved in favour of their respective owners. The document, or parts thereof, should not be copied, adapted, redistributed, or otherwise used without the prior written permission of NEC Display Solutions Europe GmbH. This document is provided "as is" without warranty of any kind whatsoever, either express or implied. Errors and omissions are excepted.

NEC Display Solutions Europe GmbH may make changes, revisions or improvements in, or discontinue the supply of any product described or referenced in this document at any time without notice. 12. May 2014

NEC Information:

Call: +49 (0)89/99 699-0

Email: infomail@nec-displays.com

www.nec-display-solutions.com

Empowered by Innovation

NEC