


NP04UCM Max:12 kg. Swivel:360°.Tilt 25°,
Vertical: 300-350, up to 12 kg

NP05UCM Max:12 kg. Swivel:360°.Tilt 25°,
Vertical: 500-750, up to 12 kg

NP04UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 300-350, up to 12 kg
 NP05UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 500-750, up to 12 kg









Contents

A.	SMS Aero main body	1+1
B.	Ceiling plate complete	1
C.	Cap	1
D.	Screw M6x50	2
E.	Screw M5x10	2
F.	Nut M6	2
G.	BRB 6,4 + NB 6x25	2+2
H.	Plastic covers, list, plug & strap	2+2+4+3
I.	Plastic ceiling plate cover	1
J.	Allen Key	4







K.	Unislide Arms	4+4
Parts of SMS Projector Unislide		
L.	Distance Pipes	4
M.	Screws/ Washers	1set
N.	Handle	1
O.	Lower locking nut	1
P.	Upper locking nut	1
Q.	Nut	1
R.	Key	1
S.	Projector (Not included)	
T.	Ceiling screw & washer (Not incld.)	
C.G	Refers to 'Center Of Gravity'	

NP04UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 300-350, up to 12 kg
 NP05UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 500-750, up to 12 kg







Holes pattern for ceiling plate.



NP04UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 300-350, up to 12 kg
NP05UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 500-750, up to 12 kg



NP04UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 300-350, up to 12 kg
 NP05UCM Max:12 kg. Swivel:360°.Tilt 25°, Vertical: 500-750, up to 12 kg



For further information or customer support, please visit www.smartmediasolutions.se or contact,
SMS SmartMediaSolutions AB, Hästholmsvägen 32, SE-13130 Nacka, Sweden, +46 (0)8 448 26 60